

	Type	L #	Hits
1	IS&R	L2	931
2	BRS	L3	947
3	IS&R	L5	323
4	IS&R	L7	0
5	BRS	L8	4676
6	BRS	L1	8
7	BRS	L4	74
8	BRS	L6	16
9	BRS	L9	48
10	BRS	L10	13
11	BRS	L11	900

	Search Text
1	(139/91,92).CCLS.
2	(heddle or heald) and (damping or dampening or vibration)
3	(139/89,93).CCLS.
4	("004and7").PN.
5	(heddle or heald) and (damping or dampening or vibration or spring or elastic or resilient)
6	("3895655" "4106530").PN. OR ("6009918").URPN.
7	L3 and L2
8	L3 and L5
9	(heddle or heald) and inset
10	(US-20030150506-\$).did. or (US-6789580-\$ or US-6883554-\$ or US-3895655-\$ or US-6994122-\$ or US-6981527-\$ or US-7204274-\$ or US-7147010-\$ or US-4106530-\$ or US-6009918-\$ or US-6230756-\$ or US-7036532-\$ or US-7185679-\$).did.
11	(heddle or heald) and (damping or dampening or vibration or spring or elastic or resilient).clm.

	DBs
1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
6	US-PGPUB; USPAT; USOCR
7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
10	US-PGPUB; USPAT
11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Err ors
1	2007/10/09 11:27			
2	2007/10/09 11:27			
3	2007/10/09 11:27			
4	2007/10/09 11:27			
5	2007/10/09 12:14			
6	2007/10/09 11:27			
7	2007/10/09 11:27			
8	2007/10/09 11:27			
9	2007/10/09 11:27			
10	2007/10/09 11:27			
11	2007/10/09 12:15			